



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
www.uspto.gov

Date : March 17, 2006

Patent No. : 6,923,004

Inventor(s) : Chandran et al.

Issued : Aug. 2, 2005

For : SYSTEM INTEGRATION OF A STEAM REFORMER AND GAS TURBINE

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.


Respecting the alleged error(s) in Col. 14 – line 36, after review of the application, it is revealed that the line is printed in accordance with the record. There was no “degrees F.” found at Col. 14, line 36. Therefore, being no fault of the Patent and Trademark Office, no correction(s) is/are in order here under United States Codes (U.S.C.) 254 or 255 and the Code of Federal Regulation (C.F.R.) 1.322 or 1.323).

In view of the foregoing, your request in this matter is hereby denied.

For further consideration, submit a Request for Reconsideration for a Certificate of Correction, with the exact location of the alleged error(s), along with the appropriate \$100.00 fee – if applicant’s error.

*Note: This is a general hint, which may decrease the processing time of your request:*

Certificate of Corrections are issued to correct errors of minor nature, i.e. typographical, spelling or grammar errors, errors not considered “critical information”; which are correctable under the provisions of 1.322a; or applicant’s errors correctable under the provisions of 1.323. If you obtain data that clearly shows the attorney/applicant is not in error, simply include supportive documentation and associated post card receipts, along with your certificate of correction or reconsideration via postal mail, not by fax. If you do not have supportive documentation that clearly shows the attorney/applicant is not in error and verifies that the PTO is in error regarding the matter in your request - then, the appropriate fee of \$100.00 with your “Certificate of Correction” or “Reconsideration Certificate of Correction” - will be necessary. Without supportive documentation, depending upon the matter in your request, it is possible - that in addition, a petition with its appropriate fee of \$130.00 may be necessary, or the request may be denied. Please be advised that – “identification of the exact point of error by reference to column and line number of the printed patent” provides clarity for processing a request. Please see the MPEP for further instruction and understanding.

  
Stacy Powell, Sr.  
For Cecelia B. Newman, Supervisor  
Decisions & Certificates of  
Correction Branch  
(703) 308 – 9390 or (703) 305 – 8309

Dority & Manning, P.A.  
P.O. Box 1449  
Greenville, SC 29602

CBN/spsr